


DAIKIN OTERRA

Available with R-410A or R-32



Today, the air is perfect. Perfect temperature. Perfect humidity. Perfectly clean and fresh, like just after a rainstorm. And the only thing more perfect than this outdoor scenario is that it's all happening inside. Because that's where we work. That's where we play, where we sleep, where we truly live.


And that's why at Daikin, we aim to make the air inside as refreshing as the outside. Better comfort. Better control and efficiency. Better quality. So you can create your own unique ecosystem. And everyday is perfect. **Inside and out.**



Perfecting The Air We Share

A better understanding of how people inhabit their living spaces has led to products designed to create indoor environments that help use energy resources more effectively. Heat pumps extract or reject heat from the outside air, even in cold weather. They use an electrically powered compressor and are extremely effective at

heating and cooling an apartment or a house. Daikin heat pumps are quiet and discreet, and use state-of-the-art technology to keep your energy bills low. With a Daikin heat pump, a large portion of the energy used to heat or cool your home comes from the outside air, a free and infinitely renewable resource.



Comfort

We offer a wide range of products, and always provide you with the ideal solution, whether for an apartment, condo or a house. Our units are whisper quiet and, with their specially designed airflow pattern, they create your ideal indoor climate.

Daikin units are designed to include features that let you create your own unique ecosystem. From the wide angle louver design to the auto-swing and comfortable mode controller settings, effective heating and cooling is ensured throughout the space.

Smart inverter technology



Integrated with an inverter (variable-speed) compressor, Daikin systems deliver the

capacity required to maintain desired room conditions, typically reducing energy consumption by up to 30% or more (compared to traditional fixed-speed ducted systems). This technology minimizes temperature fluctuations and provides continuous cooling and heating comfort.

Control

Our expertise makes life easier for you, allowing you to control your system via a user-friendly remote control.

Energy efficiency

Our products are designed to be highly efficient all year round, and their low energy consumption is reflected in low energy bills for you.

Reliability

Daikin products are renowned for their reliability. And you can rely on outstanding limited warranties* to match.



* Complete warranty details available from your local dealer/contractor or at www.trioheatingandair.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Québec. If product installed in a commercial application, limited warranty period is 5 years. The duration of warranty coverages in Texas differs in some cases.

Daikin OTERRA

Discreet wall-mounted unit providing high efficiency and comfort.

Daikin *OTERRA* wall-mounted systems provide energy efficiency and comfort control with an affordable, cost-saving solution. Available in both heat pump and cooling only models, these systems feature streamlined, wall-mounted indoor units paired with quiet and compact outdoor units.



Efficiency and Comfort:

Energy Efficient – Up to 21 SEER2 / 10.2 HSPF2 / 12.5 EER2 This system provides ultra-efficient cooling and heating operation and reduced operating costs compared to conventional lower-efficiency systems.

Cooling Range: 50°F DB – 122°F DB (10°C DB – 50°C DB)*. Extended operation to -4°F DB (-20°C DB) with facility setting and wind baffle. *Varies by model - see specification table for details.

Heating Range: 5°FWB – 65°FWB (-15°CWB – 18°CWB)



Ideal solution for:

- » Renovations, remodeling and new construction
- » Sun rooms, basements, attics, garages, hot or cold rooms, etc.
- » Rooms where floor space comes at a premium or is not available for other application
- » Ceiling void or attic does not allow for a viable duct run option
- » Cooling Only models are an excellent value for space(s) not requiring heating

Simple and efficient:

Wall-mounted units are simple to install. The flexible design blends discretely with any home décor and is ideal for single room enhancements, spaces requiring additional heating or cooling, and additions. The air direction and flow rate are adjusted so that the air will not blow directly at people in the room.



















Innovative technology:



Outdoor unit features:



Anti-Corrosion Treatment on Heat Exchanger



Quick Warming Function – Prevents the compressor from pumping liquid refrigerant in low-ambient conditions. (Heat pumps only)



Automatic Defrosting – Sensor performs automatic defrosting of the outdoor heat exchanger if necessary, ensuring optimum heating performance.



DID YOU KNOW: Our outdoor unit drain pans have up to 16 holes that allow for effective drainage of condensation. In some case, this improved drain pan design eliminates the need for drain pan heaters, resulting in higher efficiencies in low ambient temperatures.



Indoor unit features:



DKN Cloud App – Easily control your system from anywhere in the world or the comfort of your living room.



Blue Fin Protection – The hydrophilic coated fin ensures the condensate water moves easily to the drain pan — thus enhancing the cleanliness and lifespan of the cooling coil.



Simplified Maintenance – The indoor unit has been redesigned for easier removal of the drain pan, blower wheel, and indoor fan motor (compared to other wall-mounted units).

Knowledge is power

The new minimum efficiency standards are based upon new metrics (SEER2/EER2/HSPF2) derived from a new test procedure (M1) rather than the historical metrics (SEER/EER/HSPF) from the old test procedure (M). Testing procedures and requirements for developing efficiency ratings will now be more stringent with the new 2023 DOE regulations. The prior M testing procedure is being replaced by the M1 testing procedure for 2023 compliance.

Why is COP important?

The COP of a heat pump is the ratio of: $COP = \frac{energy \text{ out}}{energy \text{ in}}$

When the COP is >1, the result is a system providing more heating energy than energy consumed. As the COP2 increases, the higher the efficiency — resulting in lower utility costs.

Up	to
21	12.5
SEER2	EER2
10.2	4.19
HSPF2	COP
	(Coefficient of Performance)

Single Zone Heat Pump Efficiency Ratings





Take comfort in your decision.

R-410A INDOOR AND OUTDOOR UNITS




NEW R-32 INDOOR AND OUTDOOR UNITS



Comfort without compromise:

The Daikin *OTERRA* system is an Inverter unit that runs continuously but adjusts the compressor's speed to meet the demand. An inverter is energy saving technology that eliminates wasted operation in air conditioners by efficiently controlling motor speed. Because it maintains the temperature consistently, your space will no longer feel too hot or too cold. Compared to non-inverter type HVAC systems, systems equipped with inverters have less power loss and can save up to 30% or more in energy.





Learn more about the benefits of Daikin Inverter technology:

www.daikincomfort.com/go/inverter/





Proven. Easy. Available. Efficient.

With over 230 million R-32 units already installed, made by over 40 manufacturers and installed in more than 130 countries, R-32 is the right choice and the proven global standard.

In addition, R-32 is the only pure, single-component refrigerant slated to replace the high GWP refrigerant, R-410A. Unlike blended refrigerants, which can change composition, R-32 is easy to top off or clean and reuse on-site. It's also easy to reclaim and reuse off-site with a simple cleaning process.

Additionally, because R-32 has a GWP of 675 and requires less charge in certain systems, direct emissions from those systems can be up to 80% lower than similar R-410A systems. The result? Fewer greenhouse gas emissions that contribute to climate change, based on Daikin studies.



R-410A: R-32.

Aligning with Goals of:

Warming Potential (GWP) than

- » Decarbonization and Electrification moving towards clean energy: An effective source of heat to comfortably offset older or inefficient sources of heat using fossil fuels.
- » Lower GWP refrigerant reduce emissions at the source: Utilizing a refrigerant with lower Global Warming Potential (GWP) compared to conventional refrigerants.
- » Sustainability: Easy to top off, or clean and reuse on-site and easy to reclaim and recycle.





Controls



Individual comfort and control.

Daikin systems come standard with an infrared remote controller allowing you to access all functions at the click of a button.

From anywhere in the world. Or your living room.

It can happen to anyone. You forgot to change the temperature of your heat pump system or air conditioner before leaving the house, or you will be delayed returning home and wish to avoid needlessly heating or cooling your home. What in the past would have resulted in wasted energy is no longer a problem.



With the DKN App, you are always in control. You can use your tablet or smart-phone to access your Daikin system via the internet*.

^{*}Requires purchase and installation of adapter (AZAI6WSCDKB).



Daikin SplitXpress Selection Tool

The new interactive *SplitXpress* mobile app and website provide a complete product selection tool to streamline system selection for single and multi-zone projects. Users can create equipment selections and add accessories / pricing details to quickly share quotes with customers. Available for free on the App Store (iOS) and Google Play (Android), and at https://splitxpress.daikincity.com.









Daikin One+ Smart Thermostat

The Daikin One+ smart thermostat is available for single and multi-zone indoor unit models.

With the new translation adaptor, connecting the Daikin One+ smart thermostat provides several user features including remote monitoring, control and geofencing using the Daikin *One* home app, Google, and Amazon voice assistants.





Daikin One Touch Smart Thermostat

A great control option for Daikin single and multizone systems. With customizable settings and the power to wirelessly control the system from anywhere, homeowners may never want to

change their thermostat manually again. However, the touchscreen interface supports a user-friendly experience when they do. Voice control is also possible with compatible Amazon and Google devices.





Daikin One Lite Connected Thermostat

The Daikin One lite connected thermostat is a perfect solution for most Daikin single and multi-zone products when a wall-mounted smart

thermostat is needed. The Daikin One lite connected thermostat can be linked via Wi-Fi to the Daikin One home app for control from an iOS or Android phone or tablet.



NOTE: the handheld remote that comes with some indoor units *should not* be used together with the Daikin One thermostats.



For systems compatible with Daikin *One* smart thermostats:

Once you grant your Daikin contractor access through Daikin One cloud services app, the Daikin cloud can notify your contractor when your system needs maintenance, alert them if your system ever has an urgent need, and provide detailed performance information on your system. The first year of Daikin One cloud services is included with purchase. Ask your Daikin contractor for more information!

BUILD YOUR SYSTEM | DISCOVER REBATES | FIND A CONTRACTOR | LEARN ABOUT FINANCING & MORE: www.trioheatingandair.com



Heat Pump Specifications

Unit Size	Indoor Unit Model # / Dimensions (HxWxD)	Outdoor Unit Model # / Dimensions (HxWxD)	Efficiency Rating	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
	FTX09BXVJU	RX09BXVJU	20 SEER2 / 12.5 EER2 / 10 HSPF2	19	46	20.3	55	211291633
9,000	11-1/3 X 30-29/32 X 9-27/32	21-11/16 X 26-1/2 X 11-3/16						
	FTX12BXVJU	RX12BXVJU	20 SEER2 / 12.5 EER2 / 10 HSPF2	19	49	21.4	62	211291634
12,000	11-1/3 X 30-29/32 X 9-27/32	21-11/16 X 26-1/2 X 11-3/16						
	FTX18BXVJU	RX18BXVJU	20 SEER2 / 12.5 EER2 / 9 HSPF2	33	54	31	97	211697900
18,000	11-11/16 X 39-1/2 X 11-1/3	27-13/32 X 36-5/8 X 13-13/16						
24,000	FTX24BXVJU	RX24BXVJU	20 SEER2 / 12.2 EER2 / 9 HSPF2	34	55	31	104	211697901
	11-11/16 X 39-1/2 X 11-1/3	27-13/32 X 36-5/8 X 13-13/16						

^{*}When quiet operation is engaged

Cooling Only Specifications

Unit Size	Indoor Unit Model # / Dimensions (HxWxD)	Outdoor Unit Model # / Dimensions (HxWxD)	Efficiency Rating	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
	FTK09BXVJU	RK09BXVJU	20 SEER2 / 12.5 EER2	19	46	20.3	53	211257568
9,000	11-1/3 X 30-29/32 X 9-27/32	21-11/16 X 26-1/2 X 11-3/16						
	FTK12BXVJU	RK12BXVJU	20 SEER2 / 12.5 EER2	19	49	21.4	60	211257615
12,000	11-1/3 X 30-29/32 X 9-27/32	21-11/16 X 26-1/2 X 11-3/16						
18,000	FTK18BXVJU	RK18BXVJU	20 SEER2 / 12.5 EER2	33	54	31	95	211697898
	11-11/16 X 39-1/2 X 11-1/3	27-13/32 X 36-5/8 X 13-13/16						
24,000	FTK24BXVJU	RK24BXVJU	20 SEER2 / 12.2 EER2	34	55	31	101	211697899
	11-11/16 X 39-1/2 X 11-1/3	27-13/32 X 36-5/8 X 13-13/16						

^{*}When quiet operation is engaged



Heat Pump Specifications

Unit Size	Indoor Unit Model # / Dimensions (HxWxD)	Outdoor Unit Model # / Dimensions (HxWxD)	Efficiency Rating	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
	FTXF09AXVJU	RXF09AXVJU	21 SEER2 / 12.5 EER2 / 10.2 HSPF2	19	46	19.8	60	213895726
9,000	11-1/3 x 30-5/16 x 9-3/16	21-11/16 x 26-1/2 x 11-3/16						
	FTXF12AXVJU	RXF12AXVJU	21 SEER2 / 12.5 EER2 / 10.2 HSPF2	19	49	20.9	60	213895720
12,000	11-1/3 x 30-5/16 x 9-3/16	21-11/16 x 26-1/2 x 11-3/16						
	FTXF18AXVJU	RXF18AXVJU	21 SEER2 / 12 EER2 / 9.6 HSPF2	33	54	30.5	101	213895721
18,000	11-11/16 x 39-1/2 x 11-1/3	27-13/32 x 36-5/8 x 13-13/16						
24,000	FTXF24AXVJU	RXF24AXVJU	21 SEER2 / 12 EER2 / 9.1 HSPF2	34	55	30.5	101	213895722
	11-11/16 x 39-1/2 x 11-1/3	27-13/32 x 36-5/8 x 13-13/16						

^{*}When quiet operation is engaged

Cooling Only Specifications

Unit Size	Indoor Unit Model # / Dimensions (HxWxD)	Outdoor Unit Model # / Dimensions (HxWxD)	Efficiency Rating	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI#
				Indoor*	Outdoor	Indoor	Outdoor	
	FTKF09AXVJU	RKF09AXVJU	21 SEER2 / 12.5 EER2	19	46	19.8	60	213895706
9,000	11-1/3 x 30-5/16 x 9-3/16	21-11/16 x 26-1/2 x 11-3/16						
	FTKF12AXVJU	RKF12AXVJU	21 SEER2 / 12.5 EER2	19	49	20.9	60	213895707
12,000	11-1/3 x 30-5/16 x 9-3/16	21-11/16 x 26-1/2 x 11-3/16						
18,000	FTKF18AXVJU	RKF18AXVJU	21 SEER2 / 12 EER2	33	54	30.5	101	213895708
	11-11/16 x 39-1/2 x 11-1/3	27-13/32 x 36-5/8 x 13-13/16						
24,000	FTKF24AXVJU	RKF24AXVJU	21 SEER2 / 12 EER2	34	55	30.5	101	213895709
	11-11/16 x 39-1/2 x 11-1/3	27-13/32 x 36-5/8 x 13-13/16						

^{*}When quiet operation is engaged



About Daikin:

Daikin Industries, Ltd. (DIL) is a global Fortune 1000 company and is recognized as one of the largest HVAC (Heating, Ventilation, Air Conditioning) manufacturers in the world. Founded in 1924, Daikin is celebrating 100 years of HVAC worldwide leadership. DIL is primarily engaged in developing indoor comfort systems and refrigeration products for residential, commercial, and industrial applications. Its consistent success is derived, in part, from a focus on innovative, energy-efficient, and premium quality indoor climate and comfort management solutions.



WARNINGS:

- » Always use a licensed installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Use only those parts and accessories supplied or specified by Daikin. Ask a licensed contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire or explosion.
- » Read the User's Manual carefully before using this product. The User's Manual provides important safety instructions and warnings. Be sure to follow these instructions and warnings.

App Store is a registered trademark of Apple Inc.
Google Play and the Google Play logo are trademarks of Google LLC.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

- » For any inquiries, contact your local Daikin sales office.
- » Working with all refrigerants involves a degree of liability. It is recommended to use best practices and always adhere to safety protocols before, and during, work with any refrigerants.
- » DO NOT MIX REFRIGERANTS
- » A2L refrigerants can only be used in new equipment.
- » A2L refrigerants CANNOT be used as a retrofit refrigerant.
- » Codes are rapidly changing and allowing A2L refrigerants throughout North America. Check with your local Daikin Distributor for latest product availability information.



